



INTERMODULATION CONTROL DEVICES

150 - 300 MHz

Model No. List Price	Frequency	Isolator Stage	Pwr: Input Refl	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
74311 \$445.00	150-300	Single	20 W 10 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	10 W	3 1/2 x 19 x 3 1/2 89 x 483 x 89	5 2.3
74412 \$570.00	150-300	Single	30 W 15 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	15 W	3 1/2 x 19 x 4 3/4 89 x 483 x 121	5 2.3
74413 \$585.00	150-300	Single	50 W 30 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	30 W	3 1/2 x 19 x 4 3/4 89 x 483 x 121	5 2.3
74414 \$610.00	150-300	Single	50 W 50 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	60 W	3 1/2 x 19 x 6 1/4 89 x 483 x 159	5 2.3
74514 \$645.00	150-300	Single	125 W 60 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	60 W	3 1/2 x 19 x 6 1/4 89 x 483 x 159	5 2.3
74515 \$855.00	150-300	Single	125 W 125 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	125 W	3 1/2 x 483 x 10 1/4 89 x 483 x 261	10 4.6
74514A/H \$710.00	150-300	Single	150 W 75 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	75 W	3 1/2 x 19 x 7 5/8 84 x 483 x 194	7 3.2
74515A/H \$960.00	150-300	Single	150 W 150 W	See Page 38 Figure 3 & 4	0.45 dB	35+ dB	150 W	5 1/4 x 19 x 11 1/2 134 x 483 x 293	12 5.5




74311




74412




74413




74414




74514



74515



74514A/H




74515A/H


INTERMODULATION CONTROL DEVICES

150 - 300 MHz


Model No. List Price	Frequency	Isolator Stage	Pwr: Input Refl	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
74615 \$1,095.00	150-300	Single	200 W 125 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	125 W	5 1/4 x 19 x 6 1/2 134 x 483 x 166	10 4.6
74616 \$1,295.00	150-300	Single	200 W 200 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	250 W	8 3/4 x 19 x 4 3/4 223 x 483 x 121	14 6.4
74615/H \$1,155.00	150-300	Single	250 W 125 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	125 W	5 1/4 x 19 x 6 1/2 134 x 483 x 166	11 5.0
74616/H \$1,355.00	150-300	Single	250 W 250 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	250 W	8 3/4 x 19 x 6 1/4 223 x 483 x 159	15 6.9
74615/HF \$1,400.00	150-300	Single	250 W 125 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	125 W	8 3/4 x 19 x 11 1/2 223 x 483 x 293	10 4.6
74616/HF \$1,600.00	150-300	Single	250 W 250 W	See Page 39 Figure 1 & 2	0.45 dB	35+ dB	250 W	8 3/4 x 19 x 11 1/2 223 x 483 x 293	14 6.4




74615




74616




74615/H



74616/H



74615/HF



74616/HF


INTERMODULATION CONTROL DEVICES

150 - 300 MHz


Model No. List Price	Frequency	Isolator Stage	Pwr: Input Refl	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
74422 \$835.00	150-300	Dual	30 W 15 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	15/15 W	3 1/2 x 19 x 5 89 x 483 x 127	4 1.9
74423 \$855.00	150-300	Dual	50 W 30 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	15/30 W	3 1/2 x 19 x 5 89 x 483 x 127	4 1.9
74424 \$900.00	150-300	Dual	50 W 50 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	30/60 W	3 1/2 x 19 x 6 89 x 483 x 153	4 1.9
74524 \$940.00	150-300	Dual	125 W 60 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	30/60 W	3 1/2 x 19 x 6 89 x 483 x 153	4 1.9
74525 \$1,165.00	150-300	Dual	125 W 125 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	60/125 W	3 1/2 x 19 x 9 3/4 89 x 483 x 248	8 3.7
74524A/H \$1,010.00	150-300	Dual	150 W 75 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	30/75 W	3 1/2 x 19 x 7 1/2 89 x 483 x 191	8 3.7
74525A/H \$1,285.00	150-300	Dual	150 W 150 W	See Page 42 Figure 3 & 4	0.60 dB	70+ dB	60/150 W	3 1/2 x 19 x 10 3/4 89 x 483 x 274	12 5.5




74422




74423




74424




74524



74525



74524A/H




74525A/H


INTERMODULATION CONTROL DEVICES

150 - 300 MHz


Model No. List Price	Frequency	Isolator Stage	Pwr: Input Refl	Bandwidth: Fixed	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
74625 \$1,660.00	150-300	Dual	200 W 125 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/125 W	8 3/4 x 19 x 6 1/2 223 x 483 x 166	8 3.7
74626 \$1,870.00	150-300	Dual	200 W 200 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/250 W	8 3/4 x 19 x 6 1/2 223 x 483 x 166	11 5.0
74625/H \$1,735.00	150-300	Dual	250 W 125 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/125 W	8 3/4 x 19 x 9 3/4 223 x 483 x 248	8 3.7
74626/H \$1,810.00	150-300	Dual	250 W 250 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/250 W	8 3/4 x 19 x 9 3/4 223 x 483 x 248	11 5.0
74625/HF \$1,975.00	150-300	Dual	250 W 125 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/125 W	8 3/4 x 19 x 10 3/4 223 x 483 x 274	11 5.0
74626/HF \$2,050.00	150-300	Dual	250 W 250 W	See Page 43 Figure 1 & 2	0.60 dB	70+ dB	60/250 W	10 1/2 x 19 x 10 3/4 267 x 483 x 274	16 7.3




74625




74626




74625/H



74626/H



74625/HF



74626/HF

IM PANELS