



TELEVISION INTERMODULATION CONTROL DEVICES

Model No. List Price	Description	Channel	Pwr: Input Refl	Bandwidth: Fixed Tunable	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
TV7530/1 \$350.00	Single Isolator, 10 Watt Load	14-43	20 W 10 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	10 W	1 1/2 x 3 5/8 x 2 1/2 39 x 93 x 64	3 1.4
TV7540/2 \$420.00	Single Isolator, 15 Watt Load	14-43	30 W 15 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	15 W	1 3/8 x 3 1/2 x 4 1/8 35 x 98 x 105	3 1.4
TV7540/3 \$440.00	Single Isolator, 30 Watt Load	14-43	50 W 30 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	30 W	1 3/8 x 3 1/2 x 4 1/8 35 x 98 x 105	3 1.4
TV7540/4 \$470.00	Single Isolator, 60 Watt Load	14-43	50 W 50 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	60 W	1 3/8 x 3 1/2 x 5 5/8 35 x 98 x 143	3 1.4
TV7550/4 \$490.00	Single Isolator, 60 Watt Load	14-43	125 W 60 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	60 W	1 3/8 x 3 1/2 x 5 5/8 35 x 98 x 143	3 1.4
TV7550/4A \$505.00	Single Isolator, 75 Watt Load	14-43	125 W 75 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	75 W	1 3/8 x 3 1/2 x 6 3/4 35 x 98 x 172	3 1.4
TV7550/5 \$685.00	Single Isolator, 125 Watt Load	14-43	125 W 125 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	125 W	3 x 11 x 10 1/2 77 x 280 x 267	6 2.8
TV7550/4AH \$555.00	Single Isolator, 75 Watt Load	14-43	150 W 75 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	75 W	2 5/8 x 3 1/2 x 6 3/4 67 x 98 x 172	4 1.9
TV7550/5AH \$805.00	Single Isolator, 150 Watt Load	14-43	150 W 150 W	See Page 40 Figure 1 & 2	0.25 dB	25 dB	150 W	4 1/8 x 10 5/8 x 10 3/4 105 x 270 x 274	7 3.2

ISOLATORS & CIRCULATORS



TV7530/1



TV7540/2




TV7540/3



TV7540/4




TV7550/4




TV7550/4A



TV7550/5



TV7550/4AH




TV7550/5AH

TELEVISION INTERMODULATION CONTROL DEVICES

ISOLATORS & CIRCULATORS

Model No. List Price	Description	Channel	Pwr: Input Refl	Bandwidth: Fixed Tunable	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
TV8540/22 \$725.00	Dual Isolator, 15/15 Watt Load	14-43	30 W 15 W	See Page 43 Figure 3 & 4	45 dB	50 dB	15/15 W	1 3/8 x 5 1/2 x 4 1/8 35 x 140 x 105	3 1.4
TV8540/23 \$745.00	Dual Isolator, 15/30 Watt Load	14-43	50 W 30 W	See Page 43 Figure 3 & 4	45 dB	50 dB	15/30 W	1 3/8 x 5 1/2 x 4 1/8 35 x 140 x 105	3 1.4
TV8540/34 \$790.00	Dual Isolator, 30/60 Watt Load	14-43	50 W 50 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/60 W	1 3/8 x 5 1/2 x 5 5/8 35 x 140 x 143	5 2.3
TV8550/34 \$820.00	Dual Isolator, 30/60 Watt Load	14-43	125 W 60 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/60 W	1 3/8 x 5 1/2 x 5 5/8 35 x 140 x 143	5 2.3
TV8550/34A \$935.00	Dual Isolator, 30/75 Watt Load	14-43	125 W 75 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/75 W	1 3/8 x 5 1/2 x 6 3/4 35 x 140 x 172	5 2.3
TV8550/35 \$1,015.00	Dual Isolator, 30/125 Watt Load	14-43	125 W 125 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/125 W	3 x 11 1/2 x 9 3/8 77 x 293 x 239	7 3.2
TV8550/45 \$1,040.00	Dual Isolator, 60/125 Watt Load	14-43	125 W 125 W	See Page 43 Figure 3 & 4	45 dB	50 dB	60/125 W	3 x 11 1/2 x 9 3/8 77 x 293 x 239	7 3.2
TV8550/ 34AH \$885.00	Dual Isolator, 30/75 Watt Load	14-43	150 W 75 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/75 W	2 5/8 x 5 1/2 x 6 3/4 67 x 140 x 172	6 2.8
TV8550/ 35AH \$1,130.00	Dual Isolator, 30/150 Watt Load	14-43	150 W 150 W	See Page 43 Figure 3 & 4	45 dB	50 dB	30/150 W	3 5/8 x 11 1/2 x 10 3/8 93 x 293 x 264	9 4.1
TV8550/ 45AH \$1,155.00	Dual Isolator, 60/150 Watt Load	14-43	150 W 150 W	See Page 43 Figure 3 & 4	45 dB	50 dB	60/150 W	3 5/8 x 11 1/2 x 10 3/8 93 x 293 x 264	8 3.7



TV8540/22




TV8540/23



TV8540/34




TV8550/34



TV8550/34A




TV8550/35



TV8550/45



TV8550/34AH




TV8550/35AH




TV8550/45AH

TELEVISION INTERMODULATION CONTROL DEVICES

Model No. List Price	Description	Channel	Pwr: Input Refl	Bandwidth: Fixed Tunable	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
TV7640/2 \$435.00	Single Isolator, 15 Watt Load	43-69	30 W 15 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	15 W	1 3/8 x 3 1/2 x 4 1/8 35 x 89 x 105	3 1.4
TV7640/3 \$450.00	Single Isolator, 30 Watt Load	43-69	50 W 30 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	30 W	1 3/8 x 3 1/2 x 4 1/8 35 x 89 x 105	3 1.4
TV7640/4 \$480.00	Single Isolator, 60 Watt Load	43-69	50 W 50 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	60 W	1 3/8 x 3 1/2 x 5 5/8 35 x 89 x 143	3 1.4
TV7650/4 \$495.00	Single Isolator, 60 Watt Load	43-69	125 W 60 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	60 W	1 3/8 x 3 1/2 x 5 5/8 35 x 89 x 143	3 1.4
TV7650/4A \$510.00	Single Isolator, 75 Watts	43-69	125 W 75 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	75 W	1 3/8 x 3 1/2 x 6 3/4 35 x 89 x 172	4 1.9
TV7650/5 \$690.00	Single Isolator, 125 Watt Load	43-69	125 W 125 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	125 W	3 x 10 x 10 1/2 77 x 254 x 267	6 2.8
TV7650/4AH \$560.00	Single Isolator, 75 Watt Load	43-69	150 W 75 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	75 W	2 5/8 x 3 1/2 x 6 3/4 67 x 89 x 172	4 1.9
TV7650/5AH \$810.00	Single Isolator, 150 Watt Load	43-69	150 W 150 W	See Page 41 Figure 1 & 2	0.25 dB	25 dB	150 W	4 1/8 x 10 5/8 x 10 3/4 105 x 270 x 274	7 3.2



TV7640/2




TV7640/3



TV7640/4




TV7650/4




TV7650/4A



TV7650/5



TV7650/4AH



TV7650/5AH

ISOLATORS & CIRCULATORS

TELEVISION INTERMODULATION CONTROL DEVICES

ISOLATORS & CIRCULATORS

Model No. List Price	Description	Channel	Pwr: Input Ref	Bandwidth: Fixed Tunable	Insertion Loss	Isolation	Load Termination	Actual Dimensions Inches Metric	Ship Wt. lbs kg.
TV8640/22 \$735.00	Dual Isolator, 15/15 Watt Load	43-69	30 W 15 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	15/15 W	1 3/8 x 5 1/2 x 4 1/8 35 x 140 x 105	3 1.4
TV8640/23 \$755.00	Dual Isolator, 15/30 Watt Load	43-69	50 W 30 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	15/30 W	1 3/8 x 5 1/2 x 4 1/8 35 x 140 x 105	3 1.4
TV8640/34 \$800.00	Dual Isolator, 30/60 Watt Load	43-69	50 W 50 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/60 W	1 3/8 x 5 1/2 x 5 5/8 35 x 140 x 143	4 1.9
TV8650/34 \$825.00	Dual Isolator, 30/60 Watt Load	43-69	125 W 60 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/60 W	1 3/8 x 5 1/2 x 5 5/8 35 x 140 x 143	4 1.9
TV8650/34A \$840.00	Dual Isolator, 30/75 Watt Load	43-69	125 W 75 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/75 W	1 3/8 x 5 1/2 x 6 3/4 35 x 140 x 172	4 1.9
TV8650/35 \$1,025.00	Dual Isolator, 30/125 Watt Load	43-69	125 W 125 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/125 W	3 x 11 1/2 x 9 3/8 77 x 293 x 239	6 2.8
TV8650/45 \$1,045.00	Dual Isolator, 60/125 Watt load	43-69	125 W 125 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	60/125 W	3 1/2 x 12 x 10 89 x 305 x 254	7 3.2
TV8650/ 34AH \$890.00	Dual Isolator, 30/75 Watt Load	43-69	150 W 75 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/75 W	2 5/8 x 5 1/2 x 6 3/4 67 x 140 x 172	5 2.3
TV8650/ 35AH	Dual Isolator, 30/150 Watt Load	43-69	150 W 150 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	30/150 W	3 5/8 x 11 1/2 x 10 3/8 93 x 293 x 264	8 3.7
TV8650/ 45AH \$1,155.00	Dual Isolator, 60/150 Watt Load	43-69	150 W 150 W	See Page 43 & 44 Figure 4 & 1	0.45 dB	50 dB	60/150 W	3 5/8 x 11 1/2 x 10 3/8 93 x 293 x 264	8 3.7



TV8640/22




TV8640/23




TV8640/34




TV8650/34



TV8650/34A




TV8650/35



TV8650/45



TV8650/34AH



TV8650/35AH



TV8650/45AH